

Application No. 10/751,157
Attorney Docket No. 120485 (GECZ 2 00605)
Response to Office Action dated April 4, 2006

AMENDMENTS TO THE CLAIMS:

Please amend claim 1 as follows.

LISTING OF THE CLAIMS

The listing of claims will replace all prior versions, and listings of claims in the application:

1. (Currently Amended) A lighting assembly comprising:
a housing defining a hollow chamber having an open top;
a removable circuit housing covering the open top of the housing;
an organic light emitting diode (OLED) light source mounted in the housing;
a power source for the OLED; and
a light transmissive portion of the housing allowing light from the OLED light source to pass therethrough.
2. (Previously Presented) The lighting assembly of claim 1 further comprising a diffuser mounted in the housing and interposed between the OLED light source and the light transmissive portion for diffusing the light received from the OLED.
3. (Original) The lighting assembly of claim 1 wherein the power source further includes a photovoltaic panel for generating electrical energy from ambient light.
4. (Original) The lighting assembly of claim 1 wherein the power source includes a light sensor for selectively disconnecting the power source with the OLED in response to a predetermined level of ambient light.
5. (Previously Presented) The lighting assembly of claim 1 further comprising a reflector received in the housing for directing light from the OLED light source toward the light transmissive portion of the housing.

Application No. 10/751,157

Attorney Docket No. 120485 (GECZ 2 00605)

Response to Office Action dated April 4, 2006

6. (Original) The lighting assembly of claim 1 further comprising a reflector for directing light from the OLED light source toward a diffuser interposed between the OLED light source and the light transmissive portion.

7. (Previously Presented) The lighting assembly of claim 2 wherein the diffuser is a hollow cylinder enclosing the OLED.

8. (Original) The lighting assembly of claim 7 wherein the OLED is located at first end of the cylinder and a reflector is located at a second end thereof.

9. (Original) The lighting assembly of claim 1 wherein the OLED is located at a first end of the housing and a diffuser is located at a second end of the housing.

10. (Original) The lighting assembly of claim 1 wherein the power source includes a photovoltaic panel for generating electrical energy from ambient light and providing low voltage on the order of 12 volts for outdoor landscape lighting.

11. (Original) The lighting assembly of claim 10 further comprising a rechargeable battery that is selectively charged by the photovoltaic panel and a light sensor that selectively connects the power source with the OLED in response to a predetermined level of ambient light.

12. (Previously Presented) An outdoor landscape lighting assembly comprising:
a housing defining a hollow chamber having an open top;
a removable circuit housing disposed over the open top of the housing;
an organic light emitting diode (OLED) light source mounted on the circuit housing and sealed from the external environment;
a low power source for the OLED including a photovoltaic panel for selectively charging a rechargeable battery; and
a light transmissive portion of the housing allowing light from the OLED light source to pass therethrough.

Application No. 10/751,157
Attorney Docket No. 120485 (GECZ 2 00605)
Response to Office Action dated April 4, 2006

13. (Previously Presented) The outdoor landscape lighting assembly of claim 12 further comprising a diffuser mounted in the housing and interposed between the OLED light source and the light transmissive portion for diffusing the light received from the OLED.

14. (Original) The outdoor landscape lighting assembly of claim 12 wherein the power source includes a light sensor for selectively disconnecting the power source with the OLED in response to a predetermined level of ambient light.

15. (Previously Presented) The outdoor landscape lighting assembly of claim 12 further comprising a reflector received within a diffuser for directing light from the OLED light source toward the diffuser interposed between the OLED light source and the light transmissive portion.

16. (Original) The outdoor landscape lighting assembly of claim 12 wherein the diffuser is a hollow cylinder enclosing the OLED.

17. (Original) The outdoor landscape lighting assembly of claim 16 wherein the OLED is located at first end of the cylinder and a reflector is located at a second end thereof.

18. (Original) The outdoor landscape lighting assembly of claim 12 wherein the OLED is located at a first end of the housing and a diffuser is located at a second end of the housing.